



Tanzania haoyangsz.com

batterie (mm) 420 × 350 × 290 Longueur, largeur, hauteur Tension limite de charge (V) 84,0
Temps de charge 6 à 10 heures Courant de charge (A) <= 30 Continuez...

?? ??? ?? ??(V)72 ?? ??(Ah) 160 ??? ??(mm) 420×350×290 ??, ??, ?? ??????(V) 84.0 ????? 6~10??
?? ??(A)<=30 ??...

sales3@haoyangsz.cn; WhatsApp Vixin. 60V 15.6 Ah. Více informací Kontaktujte nás
Detaily výrobku. Materiálový systém NCM . Jmenovité napetí (V) 60 .
Jmenovitá kapacita (Ah) 15.6. Rozmery akumulátoru (mm) 357 × 120 × 75
Délka a sírka. Nabíjecí mezní napetí (V) 67,2 doba
nabíjení 6 ~ 10.

Shenzhen Haoyang New Energy Co., Ltd. is a professional lithium battery solution design, intelligent manufacturing and sales enterprise. The high-quality battery packs we produce are widely used in short-distance travel tools such as electric Harley cars, electric bicycles, electric scooters, electric tricycles, low-speed vehicles, and old scooters.



Tanzania haoyangsz com

Web: <https://www.kindanewdecor.co.za>

